



## SHEET NOTES:

- THE DOOR OPENING COVER SHALL HAVE SAME CONTOUR AS THAT OF THE SHAFT AND WHEN INSTALLED SHALL BLEND SYMMETRICALLY WITH THE SURFACE OF THE SHAFT.
- 2. THE POLE-TOP BRACKET, BRACKET ARM, POLE TOP, AND ANCHOR BOLTS WITH NUTS AND WASHERS SHALL BE STEEL, HOT-DIP GALVANIZED AFTER FABRICATION.
- ALL SCREWS, NUTS AND WASHERS FURNISHED AND INSTALLED SHALL BE FABRICATED FROM STAINLESS STEEL; WASHERS SHALL BE OF THE SHAKEPROOF TYPE WITH INTERNAL TEETH.
- BEFORE INSTALLING THE POLE-TOP BRACKET ARM ASSEMBLY, THE THREADED RODS PROTRUDING FROM THE TOP OF THE STANDARD SHALL BE COATED WITH GREASE CONTAINING A HIGH CONTENT OF GRAPHITE.
- 5. LOCATION AND ORIENTATION OF LUMINAIRE, AND NUMBER AND DIRECTION OF CONDUITS SHALL BE AS SHOWN ON PLANS OR AS SPECIFIED.
- ON STREETS WHERE GRADES EXCEED 3 PERCENT, STANDARDS SHALL BE INSTALLED WITH THE DOOR OPENING ON THE 'DOWNHILL' SIDE OF THE STANDARD.





## TOP VIEW DETAIL 1



## TYPICAL LOCATION OF DOOR OPENING

This Standard Plan was developed for use on public works projects in the City and County of San Francisco, and shall not be used without consulting a Registered Professional Engineer. The Department of Public Works reserves the right to make revisions to this Standard Plan at any time.





## **BUREAU OF ENGINEERING**

**DEPARTMENT OF PUBLIC WORKS** CITY AND COUNTY OF SAN FRANCISCO

REVIEWED:	DATE:	PLANS APPROVAL DATE: APRIL 30, 2007
BC	01/2007	Janeral Sweln 4/27/07
DRAWN:	DATE:	SECTION MANAGER
RT	01/2007	111-4/30/07
CHECKED:	DATE:	DEPUTY BUREAU MANAGER
TA	01/2007	BUREAU MANAGER

07	STANDARD PLAN			
0/07	ELECTRICAL			
	STREET LIGHT ON ROUND CONCRETE STANDARD FOR RESIDENTIAL AREAS INSTALLATION DETAILS			

NDARD PLAN OLD FILE NO. 40,988 ELECTRICAL

87,205