

## EXHIBIT A.1

# SURFACE-MOUNTED FACILITY PLACEMENT CRITERIA

1. **Pedestrian Clearances.**
  - a A minimum of four feet (4') of pedestrian clearance (free of all obstacles for a clear path of travel, unobstructed pedestrian walkway) on sidewalks in RH (Residential House) and P (Public Use) Districts.
  - b A minimum of six feet (6') of pedestrian clearance (free of all obstacles for a clear path of travel, unobstructed pedestrian walkway) on sidewalks in higher density Mixed-Residential (RC and RM), NC (Neighborhood-Commercial) and C (Commercial) Districts, and in any other Districts that require additional sidewalk space for pedestrian flow.
  - c All Streets: No intrusion onto pedestrian "clear zones" at corners.
2. **Crosswalks.** A minimum of five feet (5') from the edge of crosswalk area on approach to an intersection and five feet (5') from the edge of crosswalk areas on the exit from an intersection. Placement is preferred on the exit of an intersection.
3. **Curbs.** A minimum of twenty-four inches (24"), but not more than thirty six inches (36") from the face of the curb.
4. **Fire Clearances.** A minimum of eight feet (8') from any fire escape and/or fire exit and five feet (5') from any fire hydrant.
5. **Parking Areas.** A minimum of five feet (5') from any driveway, curb ramp, or blue zone parking space.
6. **Parklets.** A minimum of ten feet (10') from any permitted Parklet.
7. **Other Above-Ground Structures.** A minimum of forty inches (40") from any other above-ground structure not otherwise specified herein including, but not limited to, street light poles, parking meters, trees, etc.
8. **Transit stops, Transit Shelters, and Kiosks.** A minimum of sixty feet (60') from any Municipal Transportation Agency transit stop, whether flagged or not, and transit shelter and/or kiosk.

9. **Street Art.** A minimum of five feet (5') from any certified street artist's designated area per list to be provided by the Department.
10. **Public Art Work.** A minimum of sixty feet (60') from any public art work under the jurisdiction of the San Francisco Arts Commission, except for public art on kiosks, per the San Francisco Civic Art Collection published by the San Francisco Arts Commission.
11. **Storm Drains/Utility Facilities.** Shall not cover any storm drain or other utility facility.
12. **Signage.** Shall not obstruct a view of any traffic sign, way-finding sign, or any other related existing facility.
13. **Location Suitable for Street Tree.** Shall not be installed in any location that would interfere with the planting of a street tree, as described in Department Order No. 178,631, Regulating the Planting, Maintenance, or Removal of Trees and Landscape Material on Public Sidewalk Areas.
14. **Schools.** A minimum of twenty feet (20') to either side of any sidewalk length used for drop-off and pickup of students.